# MEXICO

### Cutaneous and mucosal Leishmaniasis 2017

Incidence (100,000 pop.)

11.50

### **Transmission**

Triennium Leishmaniasis Composite Indicator (TLCIc 2015-2017) Low

Occurrence

842

**NEW CASES** 

842 cutaneous (100%)





#### **AGE GROUP**

1.8% < 5 Y/O  $3.2\% \ge 5 < 10 \text{ Y/O}$ 95% > 10 Y/O

**5%** children under 10 years old



-1.09 - -0.47 (Low)

#### **GENDER**

80% Male 20% Female

**77%** men over 10 years old



### **CROSS-BORDER**

Shares borders with 3 countries in 21 municipalities

**21.15%** of the cases at the borders



## SURVEILLANCE AND CONTROL

**5.9%** of the population in transmission areas

**Decrease** of the % of CL in children under 10 Y/O compared to the 2012-2015 baseline (Targets of the Plan of Action)



### LEISHMANIA SPECIES

L. braziliensis



### LUTZOMYIA VECTORS

L. ovallesi, L. olmeca olmeca, L. panamensis, L. ylephiletor, L.gomezi, L. diabolica, L. cruciata, anthophora, L.shannoni



### PATIENT ASSISTANCE

Laboratory confirmation: **87.4%** 

Cure rate: **91.9%** 

% of cured patients among the treated: **91.9%** 



### AVAILABLE MEDICINE

Meglumine Antimoniate

#### Source:

SisLeish - PAHO/WHO - Data provided by the Ministries of Health - National Leishmaniasis Programs Accessed on: 01 November 2018.

N/O: No information available; Y/O: years old



