


NICARAGUA

Leishmaniasis cutaneous and mucosal 2015



LCIc



Incidence
(100.000 pop.) **76.6**

Transmission
Leishmaniasis
Composite Indicator
(LCIc) **Intense**

Occurrence
1925
NEW CASES

1860 other cutaneous (96.7%)
36 atypical cutaneous (1.9%)
27 mucosal (1.4%)
02 not specified (0.1%)



AGE GROUP

17.2% < 5 years old
15.1% ≥ 5 < 10 years old
67.7% > 10 years old

32.3% of children
under 10 years old



SEX

55.2% Male
44.8% Female

23.9% of men
over 20 years old



CROSS-BORDER

Shares borders with
2 countries in **27**
municipalities

22.3% of the cases
at the borders



SURVEILLANCE AND CONTROL

40.1 % of the
population in
transmission areas

Individual Mandatory
Notification!

No information on
vector chemical control



LEISHMANIA SPECIES

L. braziliensis
L. panamensis
L. infantum



LUTZOMYIA VECTORS

L. panamensis
L. trapidoi
L. ylephiletor
L. cruciata
L. longipalpis
L. evansi



PATIENT ASSISTANCE

Free treatment at
healthcare facilities

Laboratory confirmation:
86.3%

Cure rate: **91.7%**



AVAILABLE MEDICINES

No information