


PANAMA

Leishmaniasis cutaneous and mucosal 2015



LCIc



Incidence
(100.000 pop.) **29.7**
Transmission
Leishmaniasis
Composite Indicator
(LCIc) **High**

Occurrence

930

NEW CASES

465 cutaneous (50%)

02 mucosal (0.3%)

462 not specified
(49.7%)



AGE GROUP

30.4% < 5 years old
12.7% ≥ 5 < 10 years old
56.9% > 10 years old

43.1% of children
under 10 years old



SEX

52.6% Male
47.4% Female

22.1% of men
over 20 years old



CROSS-BORDER

Shares borders with
2 countries in **7**
districts

22% of the cases at
the borders



SURVEILLANCE AND CONTROL

85.9 % of the
population in
transmission areas

Individual Mandatory
Notification

No information on
vector chemical control



LEISHMANIA SPECIES

L. braziliensis
L. colombiensis
L. panamensis



LUTZOMYIA VECTORS

L. panamensis
L. gomezi
L. trapidoi
L. ylephiletor
L. cruciata
L. sanguinaria



PATIENT ASSISTANCE

Free treatment at
healthcare facilities

Laboratory confirmation:
27.8%

Cure rate: **No
Information**



AVAILABLE MEDICINES

Meglumine
antimoniate

Amphotericin B
Deoxycholate

Source:

SisLeish - PAHO/WHO - Data provided by the Ministries of Health -
National Leishmaniasis Programs of each country
Access on: December, 2016



Pan American
Health
Organization



World Health
Organization
REGIONAL OFFICE FOR THE
AMERICAS