SURINAME

Leishmaniasis cutaneous and mucosal 2016

Incidence (100,000 pop.) **267.9**

Intense

Occurrence 255 NEW CASES 255 cutaneous (100%)

LCIc

2.26 - 3.18 (Very intense)


0.75 - 2.25 (Intense)

-0.36 - 0.74 (High)

-1.33 - -0.37 (Moderate)

-1.80 --1.34 (Low)

The boundaries and names shown and the designations used on this map do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. ©WHO 2015. All rights reserved.





AGE GROUP



GENDER

88.2% Male 11.8% Female

82% of men over 10 years old



CROSS-BORDER

Shares borders with **3** countries

Cross-border information **not** available



SURVEILLANCE AND CONTROL

17.6% of the population in transmission areas

PEED Participant (Regional External Performance Assessment Program of Microscopic Diagnosis)



LEISHMANIA **SPECIES**



LUTZOMYIA VECTORS

L. umbratilis



PATIENT ASSISTANCE

Laboratory confirmation: 71% (2 laboratories providing diagnosis)

Cure rate: 98% (62 health care units providing treatment)



AVAILABLE **MEDICINE**

Pentamidine **Isethionate**

SisLeish - PAHO/WHO - Data provided by the Ministries of Health - National Leishmaniasis Programs of each country Accessed on: 01 December, 2017. *Y/O: years old;



